

May 27, 2008

Charles L.A. Terreni Chief Clerk and Administrator South Carolina Public Service Commission Post Office Drawer 11649 Columbia, South Carolina 29211

Re: Carolina Power & Light Company d/b/a Progress Energy Carolinas, Inc.

Power Plant Performance Report (April 2008)

Docket No. 2006-224-E

Dear Mr. Terreni:

Enclosed is the Power Plant Performance Report for Carolina Power & Light Company d/b/a Progress Energy Carolinas, Inc. for the month of April 2008.

Sincerely,

/s/

Len S. Anthony, General Counsel Progress Energy Carolinas, Inc.

LSA/dhs Enclosures 45612

c: John Flitter (ORS)

The following units had no off-line outages during the month of April:

Brunswick Unit 2 Harris Unit 1 Robinson Unit 2 Mayo Unit 1 Roxboro Unit 2 Roxboro Unit 4

Brunswick Unit 1

Full Scheduled Outage

- A. <u>Duration:</u> The unit was taken out of service at 1:41 on March 15, and was returned to service at 14:35 on April 29, a duration of 1,092 hours and 54 minutes. The unit was offline for 686 hours and 35 minutes during the month of April.
- B. Cause: Scheduled Refueling Outage
- C. <u>Explanation</u>: The unit was taken out of service for a scheduled refueling outage. In addition to refueling, required maintenance and inspections were carried out during this outage. The outage was extended approximately 4.5 days beyond the original schedule due to discovery items that expanded the work scope on the Conventional Service Water System, and emergent work to repair leaks identified on the Control Rod Drive Hydraulic Control Units.
- D. <u>Corrective Action:</u> Planned outage activities, including refueling, inspections, and maintenance, were completed and the unit was returned to service.

Roxboro Unit 3

Full Scheduled Outage

- A. <u>Duration:</u> The unit was taken out of service at 1:16 on April 19, and remained offline through the end of the month. The unit was offline for 286 hours and 44 minutes during April.
- B. Cause: Boiler Inspection and Installation of Environmental Modifications
- C. <u>Explanation</u>: The unit was taken offline for planned boiler inspection and installation of the flue gas desulfurization system.
- D. <u>Corrective Action:</u> Planned maintenance and outage activities were in progress at the end of April.

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	938	MW	938	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	7,406	MWH	6,898,012	MWH	2
Capacity Factor	1.10	%	83.72	%	
Equivalent Availability	1.47	%	82.49	%	
Output Factor	23.63	%	100.14	%	
Heat Rate	842	BTU/KWH	10,390	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	644,015	95.36	1,351,299	16.40	3
Partial Scheduled	21,454	3.18	75,361	0.91	4
Full Forced	0	0.00	0	0.00	5
Partial Forced	2,485	0.37	45,719	0.55	6
Economic Dispatch	0	0.00	31	0.00	7
Possible MWH	675,360		8,239,392		8

^{*} See 'Notes for Nuclear Units' filed with the January 2008 report.

^{**} Gross of Power Agency

Progress En	ergy Carolinas
Run Date	5/16/2008

BASE LOAD POWER PLANT PERFORMANCE REPORT Brunswick 2 **

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	937	MW	937	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	676,182	MWH	8,196,854	MWH	2
Capacity Factor	100.23	%	99.59	%	
Equivalent Availability	99.11	%	98.59	%	
Output Factor	100.23	%	100.08	%	
Heat Rate	10,548	BTU/KWH	10,546	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	0	0.00	3
Partial Scheduled	6,020	0.89	49,242	0.60	4
Full Forced	0	0.00	40,135	0.49	5
Partial Forced	0	0.00	28,258	0.34	6
Economic Dispatch	0	0.00	0	0.00	7
Possible MWH	674,640		8,230,608		8

^{*} See 'Notes for Nuclear Units' filed with the January 2008 report.

^{**} Gross of Power Agency

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	900	MW	900	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	661,179	MWH	7,420,702	MWH	2
Capacity Factor	102.03	%	93.87	%	
Equivalent Availability	100.00	%	92.95	%	
Output Factor	102.03	%	100.54	%	
Heat Rate	10,776	BTU/KWH	10,848	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	523,410	6.62	3
Partial Scheduled	0	0.00	8,585	0.11	4
Full Forced	0	0.00	1,320	0.02	5
Partial Forced	0	0.00	66,157	0.84	6
Economic Dispatch	0	0.00	0	0.00	7
Possible MWH	648,000		7,905,600		8

^{*} See 'Notes for Nuclear Units' filed with the January 2008 report.

^{**} Gross of Power Agency

Progress Ene	rgy Carolinas
Run Date	5/16/2008

BASE LOAD POWER PLANT PERFORMANCE REPORT Robinson 2

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	710	MW	710	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	541,202	MWH	6,214,638	MWH	2
Capacity Factor	105.87	%	99.65	%	
Equivalent Availability	100.00	%	95.18	%	
Output Factor	105.87	%	103.88	%	
Heat Rate	10,600	BTU/KWH	10,766	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	219,626	3.52	3
Partial Scheduled	0	0.00	25,831	0.41	4
Full Forced	0	0.00	34,707	0.56	5
Partial Forced	0	0.00	20,278	0.33	6
Economic Dispatch	0	0.00	0	0.00	7
Possible MWH	511,200		6,236,640		8

^{*} See 'Notes for Nuclear Units' filed with the January 2008 report.

	Month of <i>A</i>	April 2008	Twelve Month	•	See Notes*
MDC	742	MW	741	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	358,092	MWH	4,748,767	MWH	2
Capacity Factor	67.03	%	72.86	%	
Equivalent Availability	100.00	%	96.33	%	
Output Factor	67.03	%	74.14	%	
Heat Rate	10,474	BTU/KWH	10,407	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	36,976	0.57	3
Partial Scheduled	0	0.00	121,167	1.86	4
Full Forced	0	0.00	32,908	0.51	5
Partial Forced	0	0.00	48,013	0.74	6
Economic Dispatch	176,148	32.97	1,524,016	23.40	7
Possible MWH	534,240		6,511,872		8

^{*} See 'Notes for Fossil Units' filed with the January 2008 report.

^{**} Gross of Power Agency

Progress Ene	ergy Carolinas
Run Date	5/16/2008

BASE LOAD POWER PLANT PERFORMANCE REPORT Roxboro 2

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	671	MW	650	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	428,358	MWH	5,056,265	MWH	2
Capacity Factor	88.66	%	88.60	%	
Equivalent Availability	100.00	%	94.48	%	
Output Factor	88.66	%	92.76	%	
Heat Rate	9,155	BTU/KWH	9,112	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	179,731	3.15	3
Partial Scheduled	0	0.00	42,006	0.74	4
Full Forced	0	0.00	75,071	1.32	5
Partial Forced	0	0.00	16,893	0.30	6
Economic Dispatch	54,762	11.34	348,415	6.11	7
Possible MWH	483,120		5,706,672		8

^{*} See 'Notes for Fossil Units' filed with the January 2008 report.

Progress Ene	ergy Carolinas
Run Date	5/16/2008

BASE LOAD POWER PLANT PERFORMANCE REPORT Roxboro 3

	Month of A	April 2008	Twelve Month	Summary	See Notes*
MDC	705	MW	705	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	223,323	MWH	4,365,654	MWH	2
Capacity Factor	44.00	%	70.50	%	
Equivalent Availability	58.46	%	91.06	%	
Output Factor	73.11	%	74.87	%	
Heat Rate	11,076	BTU/KWH	11,152	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	202,147	39.82	332,020	5.36	3
Partial Scheduled	0	0.00	112,374	1.81	4
Full Forced	0	0.00	4,394	0.07	5
Partial Forced	8,697	1.71	104,885	1.69	6
Economic Dispatch	73,433	14.47	1,273,393	20.56	7
Possible MWH	507,600		6,192,720		8

^{*} See 'Notes for Fossil Units' filed with the January 2008 report.

	Month of <i>F</i>	April 2008	Twelve Month	Summary	See Notes*
MDC	698	MW	698	MW	1
Period Hours	720	HOURS	8,784	HOURS	
Net Generation	389,079	MWH	3,847,008	MWH	2
Capacity Factor	77.42	%	62.74	%	
Equivalent Availability	100.00	%	83.86	%	
Output Factor	77.42	%	72.05	%	
Heat Rate	10,323	BTU/KWH	10,545	BTU/KWH	
	MWH 	% of Possible	MWH 	% of Possible	
Full Scheduled	0	0.00	765,705	12.49	3
Partial Scheduled	0	0.00	138,501	2.26	4
Full Forced	0	0.00	21,813	0.36	5
Partial Forced	0	0.00	63,572	1.04	6
Economic Dispatch	113,481	22.58	1,292,363	21.08	7
Possible MWH	502,560		6,131,232		8

^{*} See 'Notes for Fossil Units' filed with the January 2008 report.

^{**} Gross of Power Agency

Plant	Unit	Current MW Rating	January 2007 - December 2007	April 2008	January 2008 - April 2008
Asheville	1	191	63.64	82.23	82.78
Asheville	2	185	73.17	60.77	74.83
Cape Fear	5	144	78.67	76.86	75.52
Cape Fear	6	172	72.38	70.13	57.05
Lee	1	74	62.15	39.84	65.01
Lee	2	77	62.47	35.80	52.30
Lee	3	248	66.38	69.53	18.06
Mayo	1	742	72.10	67.03	65.32
Robinson	1	176	74.63	72.46	78.60
Roxboro	i	369	78.01	78.57	83.17
Roxboro	2	671	80.06	88.66	87.13
Roxboro	3	705	74.37	44.00	63.38
Roxboro	4	698	62.40	77.42	72.07
Sutton	1	93	56.26	59.44	56.25
Sutton	2	102	63.19	77.73	72.63
Sutton	3	403	55.53	69.90	65.66
Weatherspoon	1	48	53.86	52.37	52.10
Weatherspoon	2	49	55.68	35.42	49.74
Weatherspoon	3	76	68.70	68.14	75.28
Fossil System Total		5,223	69.82	68.95	68.90
Brunswick	1	938	95.92	1.10	60.87
Brunswick	2	937	86.99	100.23	98.61
Harris	1	900	93.90	102.03	102.64
Robinson Nuclear	2	710	92.26	105.87	106.08
Nuclear System Total		3,485	92.25	75.16	91.01
Total System		8,708	78.79	71.43	77.75

Amended SC Fuel Rule Related to Nuclear Operations

There shall be a rebuttable presumption that an electrical utility made every reasonable effort to minimize cost associated with the operation of its nuclear generation system if the utility achieved a net capacity factor of \geq 92.5% during the 12 month period under review. For the test period April 1, 2008 through April 30, 2008, actual period to date performance is summarized below:

Period to Date: April 1, 2008 to April 30, 2008

Nuclear System Capacity Factor Calculation (Based on net generation)

A Nuclear system actual generation for SCPSC test period	A = 1,885,969 MWH
--	--------------------

B. Total number of hours during SCPSC test period B = 720 hours

C. Nuclear system MDC during SCPSC test period (see page 2) C = 3,485 MW

D. Reasonable nuclear system reductions (see page 2) D = 671,489 MWH

A. SC Fuel Case nuclear system capacity factor: [(A + D) / (B + C)] * 100 = 101.9%

NOTE:

If Line Item E > 92.5%, presumption of utility's minimum cost of operation. If Line Item E < 92.5%, utility has burden of proof of reasonable operations.

Amended SC Fuel Rule Nuclear System Capacity Factor Calculation Reasonable Nuclear System Reductions

Period to Date: April 1, 2008 to April 30, 2008

Nuclear Unit Name and Designation		BNP	HNP	RNP	Nuclear
Unit MDC	Unit # 1 938 MW	Unit # 2 937 MW	Unit # 1 900 MW	Unit # 2 710 MW	System 3,485 MW
Reasonable refueling otuage time (MWH)	644,015	0	0	0	
Reasonable maintenance, repair, and equipment replacement outage time (MWH)		378	0	0	
Reasonable coast down power reductions (MWH)		0	0	0	
Reasonable power ascension power reductions (MWH)		0	0	0	
Prudent NRC required testing outages (MWH)		5,642	0	0	
SCPSC identified outages not directly under utility control (MWH)		0	0	0	
Acts of Nature reductions (MWH)		0	0	0	
Reasonable nuclear reduction due to low system load (MWH)		0	0	0	
Unit total excluded MWH	665,469	6,020	0	0	
Total reasonable outage time exclusions [carry to Page 1, Line D]					671,489